

# Brief Review: Vectors

# Vectors

- Basics
- Normalizing a vector  $\Rightarrow$  unit vector
- Dot product
- Cross product
- Reflection vector
- Parametric form of a line

# Basics

## Vectors


- Have a direction and a length
- Do not have a position in space

## Normal vector

- Is ‘normal’, or perpendicular, to a surface
- Are usually unit-length, also called ‘normalized’

# Normalizing a Vector

- Compute the magnitude and divide through
- Produces a UNIT VECTOR
- Aka NORMALIZED VECTOR



To normalize  $(x,y,z)$  :

$$\begin{aligned} \text{len} &= \sqrt{x^2 + y^2 + z^2} \\ \left( \frac{x}{\text{len}} \quad \frac{y}{\text{len}} \quad \frac{z}{\text{len}} \right) \end{aligned}$$

# Dot Product


Scalar Product

$$A \cdot B = A_x B_x + A_y B_y + A_z B_z$$

$$A \cdot B = B \cdot A$$

$$A \cdot B = |A| |B| \cos(\alpha)$$

- If A and B are unit vectors,  $A \cdot B = \cos(\alpha)$
- If A is unit vector,  $A \cdot B = |B| \cos(\alpha)$  is the length of B projected onto A





# Cross Product

Vector Product

$$A \times B = (A_y B_z - A_z B_y, A_z B_x - A_x B_z, A_x B_y - A_y B_x)$$

$$A \times B = -B \times A$$

- $A \times B$  is orthogonal to plane defined by A and B
- With length  $|A \times B| = |A||B|\sin(\alpha)$
- If A and B are unit vectors,  $|A \times B| = \sin(\alpha)$
- If B is unit vector,  $|A \times B|$  is perpendicular distance from A to B



# Reflection Vector

In 3D, Reflect  $V$  about  $N$  to make  $R$   
Assume  $N$  is normalized


$$R = V + 2S$$

$$S = P - V$$


$$k = |P| = N \cdot V$$

$$P = kN = (V \cdot N)N$$

$$R = V + 2(P - V) = V + 2((V \cdot N)N - V) = 2(V \cdot N)N - V$$



# Parametric Equation of Line



$$P(u) = P_0 + uV$$

- $P_0$  is point on line
- $V$  is direction of line
- Generalizes to any dimension (2D, 3D, etc)
- As  $0 < u < 1.0$ ,  $P(u)$  goes from  $P_0$  to  $P_0 + V$